

03/09/2015

Dear Ms Payne

Thank you for your email dated 03/09/2015 we are most grateful for your early responses. It is good to read that CDC has been in discussion with all the relevant bodies since 2009 regarding the wastewater issues for the Chichester area and that the data and approach used is appropriate and satisfied that the conclusions made are correct. This is good news as all the data will be readily available and to hand. I have to assume this data is not the same as the data available and presented to the general public on the CDC web site and would be of far greater detail? I would like to request a copy of that data as presented to these relevant bodies.

You say that my interpretation of the data supplied by you is different to the one taken by CDC. Until CDC answers all my questions that I have present in my last email and present to me its formula used to arrive at its headroom figures it is the only one that I can take and therefore present to a Planning Inspectors and/or a High Court Judge.

As you rightly say this is a complex matter and I may be taking a simplistic approach regarding the headroom numbers and the waste water generated by the previous use of some of the sites. However If CDC has as claimed spare headroom capacity at Apuldram WwTWs even after it has allocated all the headroom numbers in the new CLP and for the life time of that plan then the waste water generated by previous use should not be an issue and CDC should very easily be able to address my concerns and claims.

I did not believe that CDC would need or want to get embroiled in a site by site analyzation and all the ramification that analyzation could raise especially regarding the housing numbers that have been put forward by CDC for the Chichester City area. However I'm more than happy to do this and I must assume for you to make that statement CDC must have data available to them on a site by site basis and would be most grateful if you could present to me that data for all these sites should CDC need to take this route to justify its headroom numbers

If you feel you are no longer unable to answer the questions raised in my last email and this one could you please pass theses relevant emails on to a colleague in the CDC that could as these questions do need to be answered and must be answered.

I look forward to your earliest reply.

Kind Regards

Paul Knappett